TOLKO PLYWOOD PRODUCTS



ERO 1





UNE

ERLAYMENT





PRODUCT	LENGTH AND WIDTH		THICKNESS		SPECIES	GRADE STAMP		WARRANT
	Canada	US	Canada	US		Canada	US (PS 1-09)	
ULAY Premium Underlayment With fastener grid	1220mm x 2440mm 1220mm x 1220mm	4x8' 4x4'	7.8 mm actual	5/16"	DFP/Fir	PS1	BC PTS** Underlayments	50 Year
T-PLY Pro Underlayment With fastener grid	1220mm x 2440mm 1220mm x 1220mm	4x8' 4x4'	7.8 mm Nom. thick = 9.5mm	5/16"	DFP/Fir	CSA 0121	CC PTS	25 Year
T-PLY Pro Sheathing and Select Square Edge	1220mm x 2440mm	4x8'	9.5 mm to 25.5 mm	11/32" to 31/32"	DFP/Fir	CSA 0121	CD PTS	25 Year
T-PLY Sheathing and Select Square Edge	1220mm x 2440mm	4x8'	9.5 mm 12.5 mm 15.5 mm 18.5 mm 25.5 mm	3/8" 1/2" 5/8" 3/4" 1"	DFP/Fir	CSA 0121	CDX CCX	25 Year
T-PLY Ultra T&G Subfloor	1220mm x 2440mm	4x8'	15.5 mm 18.5 mm 25.5 mm	19/32" 23/32" 31/32"	DFP/Fir	CSA 0121 CSA 0121 Custom	CC PTS (U/L) Scant Face T&G	50 Year
T-PLY Pro Select T&G Subfloor	1220mm x 2440mm	4x8'	15.5 mm 18.5 mm 25.5 mm	19/32" 23/32" 31/32"	CSP* DFP/Fir	CSA 0151* CSA 0121 Custom	CD PTS (U/L) Scant & Full Face T&G	25 Year
T-PLY T&G Subfloor	1220mm x 2440mm	4x8'	15.5 mm 18.5 mm 25.5 mm	5/8" 3/4" 1"	CSP* DFP/Fir	CSA 0151 CSA 0121 Custom	CDX	25 Year
T-PLY Pro Select OES Edge sealed One-side sanded & oiled	1220mm x 2440mm	4x8'	18.5 mm	23/32"	DFP/Fir	CSA 0121	CC PTS	25 Year
T-PLY Pro Premium Select Square Edge	1220mm x 2440mm	4x8'	9.5-25.5 mm	11/32" to 31/32"	DFP/Fir	CSA 0121	CC PTS	25 Year
T-PLY Pro 3 Ply CCPTS Square Edge 1/10 veneer	1220mm x 2440mm	4x8'	12.5 mm	7/32"	DFP/Fir	CSA 0121	CC PTS	25 Year
T-PLY Pro 5 Ply CCPTS Square Edge 1/10 veneer	1220mm x 2440mm	4x8'	12.5 mm	15/32"	DFP/Fir	CSA 0121	CC PTS	25 Year
T-PLY 5 Ply CCX Square Edge 1/10 veneer	1220mm x 2440mm	4x8'	12.5 mm	1/2"	DFP/Fir	CSA 0121	ССХ	25 Year
T-PLY Pro 7 Ply CCPTS Square Edge 1/10 veneer	1220mm x 2440mm	4x8'	12.5 mm	19/32" 23/32"	DFP/Fir	CSA 0121	CC PTS	25 Year

Features

ULAY is engineered for superior performance with a convenient ink-jetted fastener guide for precise installation. ULAY is known for its precision-sanded finish and uniform surface. This panel is constructed with waterproof, exterior grade glue for greater panel stability and reduced tile cracking and popping. Openings are filled with latex-based putty. This product is available in 4'x8' or 4'x4' sheets and packaged in convenient 50 piece packs.

T-PLY[™] Pro Underlayment | 5/16 - PS1 Underlayment

Ideal for use under resilient flooring and ceramic tiles

Lay the groundwork for success. Start strong and finish beautifully with Tolko T-PLY Pro Underlayment plywood panels. Engineered to deliver superior performance, Tolko T-PLY Pro Underlayment is ideal under resilient flooring or ceramic tile, in new construction or renovation, for do-it-yourselfers or professional installers.

Features

T-PLY Pro Underlayment features a fully sanded, smooth face and ink-jetted fastener guide for precision installation. It's thoroughly tested and meets PS1 underlayment requirements. T-PLY Pro Underlayment ships in convenient 50 piece packages.

RATED STURD-I-FLOOR®

T-PLY[™] Ultra T&G Subfloor | CCPTS T&G Sturd-I-Floor[®]

Engineered to meet the exacting standards of the most particular customers, Tolko T-PLY Ultra T&G plywood subfloor is the best quality-certified plywood we have ever created. Bar none.

It is especially suited as a subfloor for exterior vinyl covered decks and is endorsed by Duradek as the subfloor of choice. Backed by Tolko, the name builders have trusted for 60 years.

Features

T-PLY Ultra T&G Subfloor features a precision-sanded, premium Douglas Fir veneer face and an ink-jetted fastener guide. It has a stronger panel construction and is protected by tear-resistant woven poly bags and bumper strips.

T-PLY[™] Pro Select T&G Subfloor | CD Underlayment T&G Sturd-I-Floor[®]

Tolko T-PLY Pro Select T&G subfloor was engineered for builders who want a smoother structuralgrade panel with a better grade face veneer appearance. Tough, tested and professional, Tolko T-PLY Pro T&G subfloor has all of the benefits of standard Tolko T-PLY subfloor in a smoother panel.

Features

T-PLY Pro T&G Subfloor is versatile and durable. This swell-resistant panel features a touch-sanded surface and industrystandard tongue and groove. T-PLY Pro T&G Subfloor is protected during transport by tear-resistant woven poly bags and bumper strips.

T-PLY[™] T&G Subfloor | CDX T&G Sturd-I-Floor[®]

Our most economical plywood subfloor panels also are among the industry's top performing in standard flooring. Crafted from Canadian plywood, these T&G panels are known for exceptional value.

Features

T-PLY T&G Subfloor is a lightweight panel for easy installation. It features industry-standard tongue and groove and is protected during transport by tear-resistant woven-poly bags and bumper strips.

THIN UNDERLAYMENT

ULAY[™] Premium Underlayment | Premium 5/16 PS1 Underlayment

Ideal for use under resilient flooring and ceramic tiles

The best underlayment product on the market today, Tolko ULAY Premium Plywood Underlayment delivers the ultimate in performance and a ground-breaking 50-year warranty against delamination, discoloration and puncture. It's perfect under ceramic tile or vinyl flooring in new home construction and renovations.









TRUE. TRUSTED. TOLKO.

SOUARE EDGE SHEATHING

T-PLY[™] Pro Sheathing | CDPTS

When you want a smoother face structural grade panel, try Tolko T-PLY Pro Sheathing. It's strong and stable. You'll get all of the benefits of standard T-PLY sheathing in a higher-grade select panel.

Features

T-PLY Pro touch-sanded sheathing features a square edge for construction and industrial applications. It has a high strength-to-weight ratio and is packaged with three pieces of dunnage under all lifts to maintain panel flatness.

T-PLY[™] Sheathing | CDX | CCX

Crafted from premium Douglas Fir and Canadian softwood species, Tolko T-PLY square-edge, plywood panels have the strength, quality and versatility needed for all of your structural panel requirements.

Features

T-PLY Sheathing has the predictable quality that builders expect from Tolko T-PLY Plywood Products. This product is also available as Struc 1.

SPECIALTY PANELS

T-PLY[™] Premium DFP Oiled & Edge Sealed | CCPTS OES

This 6-ply DFP select grade plywood is ideal for forming applications where a high visual quality surface is not required.

Features

This forming panel is face coated with Nox-Crete release agent and made with exterior waterproof glue for consistent quality and dependability.

T-PLY[™] Pro Premium Select Square Edge | CCPTS

With a top-quality surface and high strength-to-weight ratios, T-PLY Pro Premium Select Square Edge is ideal for painted and overlaid industrial applications. It provides a smooth, solid repaired face and is certified to CSA 0121 and PS1 standards by the APA.

T-PLY Pro Premium Select Square Edge is well suited for use as a substrate for both high and low pressure laminates, appearance grade liners, and soffit stock. The consistency and guality across each panel allows users to cut them into precise components which can be sold at retail stores as an alternative to regular sanded grades.

Features

T-PLY Pro Premium Select Square Edge is available with full-sand face on one or both sides with a fine grit suitable for painting and laminating. The improved core veneer grade results in fewer and smaller defects to provide greater strength and improved fastener holding. This panel is constructed with waterproof glue and small voids are filled with a solvent-free, latex-based putty.

T-PLY[™] Pro 5 Ply CCPTS and T-PLY 5 Ply CCX

Our 5 Ply leads the way as our straightest and flattest panel. The balanced lay up of the 1/10 veneer results in a panel that is more resistant to warping and has superior consistency and stability. T-PLY Pro 5 PLY CCPTS is well suited for industrial uses and treating.

Features

This all-fir panel is available unsanded or plugged and touch-sanded. We use a solvent-free, latex-based putty and precision sanding to achieve minimal surface roughness. The industryleading accuracy of our mills produce a panel with accurate sizing and minimal variations.









ILED & EDGE SEALED











TOLKO

Tolko is a family-owned company based in British Columbia, with 60 years of experience manufacturing a wide range of forest products. We have become a trusted manufacturer and valuable business partner for customers around the world. Our mills are focused on providing consistent quality and our sales team is dedicated to creating lasting relationships with our customers.

CUSTOMER COMMITMENT

At Tolko, our commitment to quality is evident in more than our plywood products. It's clear in our dedication to helping your business thrive. From connecting globally with our customers to providing innovative solutions, we deliver consistent quality and superior service with unmatched integrity you can count on.



😥 BUILD GREEN WITH TOLKO

We manufacture our products from renewable, recyclable and biodegradable resources, and our practices are guided by our Forest Management Principles and Environmental Policy. We also adhere to globally accepted Sustainable Forest Management (SFM) and Chain of Custody (CoC) standards.

Tolko products earn the certified wood credit under **LEED** and **Green Globes** through our Sustainable Forest Management (SFM) certification and Sustainable Forestry Initiative[®] (SFI), which fully qualifies under the LEED standard via the LEED Alternative Compliance Path process. In addition, our panel products qualify for incremental LEED credits under the low-emitting materials requirements.



SETTING THE STANDARD


Each of our T-PLY Plywood Products:

- \checkmark Are covered by transferable warranties against delamination
- ✓ Are manufactured to exacting specifications from renewable, recyclable and biodegradable forest resources
- ✓ Are certified by APA-The Engineered Wood Association
- ✓ Contain no added urea-formaldehyde resin (NAUF)



PEFC








Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhailing wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov/wood.

This product can expose you to chemicals including methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TOLKO OPERATIONS

Tolko's state-of-the-art lumber, plywood, OSB, and EWP operations are located in the abundant forests of Western Canada and extend into the Southern Yellow Pine forests of the United States of America.



British Columbia, CA

CORPORATE

PLYWOOD/VENEER

REMANUFACTURING

LUMBER & PLYWOOD/VENEER

REFORESTATION CENTRE

LUMBER LUMBER

LUMBER

VENEER

- 1. Vernon
- 2. Soda Creek
- 3. Lakeview
- 4 Heffley Creek
- Armstrong 5
- Eagle Rock 6.
- 7. Lavington
- 8. White Valley
- 9. Lake Country

Alberta, CA

10.	High Level	LUMBER
11.	High Prairie	OSB/EWP
12.	Athabasca	OSB/EWP

Saskatchewan, CA

13.	Meadow Lake	OSB/EWP			
Louisiana, USA					
14.	LaSalle Lumber Company LLC A Hunt-Tolko Partnership	LUMBER			
15.	Bienville Lumber LLC A Hunt-Tolko Partnership	LUMBER			
Mississippi, USA					

LUMBER 16. Southeastern Timber Products LLC An STP-Tolko Partnership

Alabama, USA

- 17. Jasper Forest Products LLC A Jasper-Tolko Partnership
- LUMBER



Our free Tolko Product Guide app is available for download. Set yourself up for success by finding the best Tolko lumber, plywood, OSB, and EWP products for each application.

Vernon Office

3000 - 28th Street Vernon, British Columbia Canada V1T 6M1

PlywoodSales@tolko.com

www.tolko.com

The data and/or information is provided without any representations, warranties or conditions, whether express or implied, statutory or otherwise, including, without any limitation, any representations, warranties or conditions. For more information please visit tolko.com/resources or contact your Tolko Representative.

