

# RV & TRANSPORT TRAILER PRODUCTS



**TRUE.  
TRUSTED.  
TOLKO.**

**TOLKO**

# T-PLY PLYWOOD PRODUCTS

Tolko's line of T-PLY Plywood products are preferred for the consistent core lines, superior surfaces, enhanced fastener holding strength and flatness of the panels. RV and transport trailer manufacturers value the precision and consistency of our panels which perform as expected every time. With T-PLY plywood, manufacturers are confident they have done it right the first time.

## TOLKO PLV INDUSTRIALS

Tolko's Parallel Laminated Veneer (PLV) is a structural, non-certified product designed to eliminate waste and improve substrate performance in a host of industrial applications. PLV and PLV-X are available in multiple thicknesses and comes in sheet form, ready to cut into your components. They have a high strength-to-weight ratio and excellent dimensional stability compared to other composite and solid wood products. Our PLV is made with a parallel orientation of veneers and our PLV-X includes perpendicular cross bands for enhanced fastener holding and stability. They are both made with Douglas-fir, Larch or Spruce Metriguard Rated Veneer and produced at our APA certified mills in British Columbia.



FEATURES	T-PLY Pro Select Square Edge CCPTS	T-PLY Pro Select T&G Subfloor CD Underlayment SE and T&G	Tolko PLV and PLV-X Industrials
Application	Cargo trailer walls and floors	RV Underlayment	Interior Components
Surface	Precision Sand Premium Select Grade Face C Grade Back	Touch Sand	Unsanded Touch/Sizing Sand available upon request
Profile	Square Edge	Square Edge or T&G	Square Edge
Face	Premium Select Grade	Select Grade	C Grade or Better
Inner Plies	C grade or better Improved core veneer grade allowing for fewer, smaller defects	C grade or better Improved core veneer grade allowing for fewer, smaller defects	Douglas-fir, Larch or Spruce Metriguard Rated Veneer

### DIMENSIONS

Thickness Category <sup>1</sup>	9.5 mm, 12.5 mm, 15.5 mm, 18.5 mm 11/32", 15/32", 19/32", 23/32", 31/32"	15.5 mm, 18.5 mm, 25.5 mm 19/32", 23/32", 31/32"	1/2", 5/8", 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-5/8", 1-3/4"
Lengths <sup>1</sup>	2440 mm 8'	2440 mm 8'	96", 97"
Widths <sup>1</sup>	1220 mm 4'	1220 mm 4' Scant & Full Face	48", 49"

<sup>1</sup> For promotional purposes, lengths and widths are nominal sizes; actual product dimensions comply with U.S. Weights and Measures requirements.

### WARRANTY


Transferable <sup>2</sup>	✓	✓	-
Details <sup>2</sup>	25 year limited warranty against delamination	25 year limited warranty	-

<sup>2</sup> Please see unique product warranties for specific details on warranty inclusions and limitations, and always follow the storage and installation instructions. Warranty details available at [www.tolko.com](http://www.tolko.com).

# T-STRAND OSB PRODUCTS

We combined strength, moisture durability, and enhanced fastener holding to produce T-STRAND OSB products designed for the high demands of RV and transport trailer manufacturing.

Tolko T-STRAND OSB RV and Cargo Panels provide a proven solution for trailer manufacturers. We start with Canadian Aspen wood fibre to produce superior OSB products that are lighter, more durable, and built to work. The fibre is cut into strands and bonded with moisture resistant resins to optimize the collective strength and consistency of the panel. T-STRAND OSB panels are pressed with intense pressure and temperatures to create a panel with low moisture content and a resistance to warping, swelling, and flaking.



FEATURES	T-STRAND Pro OSB RV Flooring	T-STRAND OSB RV Fascia	T-STRAND OSB Sheathing	T-STRAND Non-Residential OSB
Application	Flooring	Fascia	Roof	Non-structural components
Surface	Unsanded	Unsanded	Unsanded	Sanding available for 3/8", 7/16", 15/32" in 8' lengths
Profile	Square Edge	Square Edge	Square Edge	Square Edge or T&G
Moisture Resistance	Superior ●●●●	Standard ●●	Standard ●●	Reduced ●

## DIMENSIONS

Thickness Category <sup>1</sup>	3/8", 15/32", 19/32", 23/32", 7/8"	1"	3/8", 7/16"	1/4", 3/8", 7/16", 15/32", 1/2", 19/32", 23/32", 7/8", 1", 1-1/8"
Lengths <sup>1</sup>	24' Custom cuts	8', 12', 13', 14'	8', 9'	8', 10', 12'
Widths <sup>1</sup>	4', 8' Custom cuts	48-1/2", 5", 5-1/2"	4', 8'	4' Special widths available

<sup>1</sup> For promotional purposes, lengths and widths are nominal sizes; actual product dimensions comply with U.S. Weights and Measures requirements.

## WARRANTY

Transferable <sup>2</sup>	✓	✓	✓	-
Delamination <sup>2</sup>	25 years	50 years	25 years	1 year

<sup>2</sup> Please see unique product warranties for specific details on warranty inclusions and limitations, and always follow the storage and installation instructions. Warranty details available at [www.tolko.com](http://www.tolko.com).





# T-TEC OSB PREMIUM FLOORING

Tolko T-TEC OSB Premium Flooring is preferred by manufacturers for premium subfloor applications. Dual stamped with APA Sturd-I-Floor and Structural 1 certification, this strand-based composite wood panel boasts incomparable cross-panel stiffness and strength and is also suitable for roofing applications where required. T-TEC OSB Premium Flooring is engineered to outperform the industry's most advanced flooring panels in nail retention, moisture resistance and durability. You can be confident in our T-TEC OSB Premium Flooring with a lifetime limited warranty and no-sand guarantee we always stand behind.

# TOLKO LSL INDUSTRIALS

Tolko's industrial line of LSL products provide a structural, non-certified solution for RV and transport trailer manufacturers. Our industrial LSL products are made at the same mill as our T-TEC LSL structurally-rated products with reduced density resulting in a lighter product suitable for RV and transport trailer components.



				
FEATURES	T-STRAND OSB Cargo Wall	T-STRAND OSB Cargo Floor	T-TEC OSB Premium Flooring	Tolko LSL Industrials
Application	Cargo trailer walls	Enhanced cargo trailer flooring	Flooring	Non-structural applications
Surface	One side full sanding available on 8' lengths	One side full sanding available on 8' lengths	Fully Sanded	Unsanded
Profile	Square Edge	Square Edge	Square Edge or T&G	Square Edge
Moisture Resistance	Standard 💧💧	Improved 💧💧💧	Superior 💧💧💧💧	Standard 💧💧

DIMENSIONS				
Thickness Category <sup>1</sup>	1/4", 3/8", 7/16", 15/32", 1/2"	19/32", 23/32", 7/8", 1-1/8"	19/32," 23/32," 7/8," 1-1/8"	1-1/4"
Lengths <sup>1</sup>	8', 10', 12'	8', 10', 12'	8,' 10,' 12'	16'
Widths <sup>1</sup>	4'	4'	4' Full or Scant face	3-1/2" - 48.5"

<sup>1</sup> For promotional purposes, lengths and widths are nominal sizes; actual product dimensions comply with U.S. Weights and Measures requirements.

WARRANTY				
Transferable <sup>2</sup>	-	-	✓	-
Details <sup>2</sup>	1 year	1 year	Lifetime limited warranty against delamination. 500 day no-sand warranty.	-

<sup>2</sup> Please see unique product warranties for specific details on warranty inclusions and limitations, and always follow the storage and installation instructions. Warranty details available at [www.tolko.com](http://www.tolko.com).

# TOLKO

Tolko is a family-owned company differentiated by our service, people, and reliability. We are a strong wood products manufacturer with a solid reputation and over 60 years of experience. Founded in Lavington, BC, Tolko has grown to employ 3,000 people across British Columbia, Alberta and Saskatchewan. We manufacture lumber, plywood, veneer, OSB, EWP, biomass power, co-products and a growing number of specialty wood products for world markets.

## T-LINK PRODUCT DISTRIBUTION NETWORK

We pride ourselves on being easy to do business with by searching for innovative solutions, identifying new opportunities, and investing in our customer relationships. Our T-LINK locations bring us closer to our customers ensuring quick delivery and a consistent supply of Tolko products. These locations carry Tolko lumber, plywood, OSB, and EWP products throughout the USA and Canada.

Visit [T-LINK Product Distribution Network](#) to view a complete list of our active locations and contact information.




## BUILD GREEN WITH TOLKO

We manufacture our products from renewable, recyclable and biodegradable resources, and our practices are guided by our Forest Management Principles and Environmental Policy. We also adhere to globally-accepted Sustainable Forest Management (SFM) and Chain of Custody (CoC) standards.




Tolko products earn the certified wood credit under LEED and Green Globes through our Sustainable Forest Management (SFM) certification, Sustainable Forestry Initiative® (SFI) which fully qualifies under the LEED standard via the LEED Alternative Compliance Path process. In addition, our panel products qualify for incremental LEED credits under the low emitting materials requirements.



## SETTING THE STANDARD

Tolko RV and transport trailer products:

- ✓ Are manufactured to exacting specifications from renewable, recyclable and biodegradable forest resources
- ✓ Contain no added urea-formaldehyde resin (NAUF), a common and hazardous indoor air pollutant.
- ✓ Come with the excellent service and support customers have come to expect from Tolko.



**WARNING**

Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to [www.P65Warnings.ca.gov/wood](http://www.P65Warnings.ca.gov/wood).




**WARNING**

This product can expose you to chemicals including methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# TOLKO LOCATIONS

Tolko's state-of-the-art lumber, plywood, OSB, and EWP operations are located in the abundant forests of Western Canada and extend into the Southern Yellow Pine forests of the United States of America.



## British Columbia, CA

- |    |               |                         |
|----|---------------|-------------------------|
| 1. | Vernon        | CORPORATE               |
| 2. | Soda Creek    | LUMBER                  |
| 3. | Lakeview      | LUMBER                  |
| 4. | Heffley Creek | PLYWOOD/VENEER          |
| 5. | Armstrong     | LUMBER & PLYWOOD/VENEER |
| 6. | Eagle Rock    | REFORESTATION CENTRE    |
| 7. | Lavington     | LUMBER                  |
| 8. | White Valley  | VENEER                  |
| 9. | Lake Country  | REMANUFACTURING         |

## Alberta, CA

- |     |              |         |
|-----|--------------|---------|
| 10. | High Level   | LUMBER  |
| 11. | High Prairie | OSB/EWP |
| 12. | Athabasca    | OSB/EWP |

## Saskatchewan, CA

- |     |             |         |
|-----|-------------|---------|
| 13. | Meadow Lake | OSB/EWP |
|-----|-------------|---------|

## Louisiana, USA

- |     |  |        |
|-----|--|--------|
| 14. | LaSalle Lumber Company LLC<br>A Hunt-Tolko Partnership | LUMBER |
| 15. | Bienville Lumber LLC<br>A Hunt-Tolko Partnership       | LUMBER |

## Mississippi, USA

- |     |  |        |
|-----|--|--------|
| 16. | Southeastern Timber Products LLC<br>An STP-Tolko Partnership | LUMBER |
|-----|--|--------|

## Alabama, USA

- |     |                            |        |
|-----|----------------------------|--------|
| 17. | Jasper Forest Products LLC | LUMBER |
|-----|----------------------------|--------|

Our free [Tolko Product Guide](#) app is available for download. Set yourself up for success by finding the best Tolko lumber, plywood, OSB, and EWP products for each application.



### Vernon Office

3000 - 28th Street  
Vernon, British Columbia  
Canada V1T 9W9

[EWPSales@tolko.com](mailto:EWPSales@tolko.com)

[WWW.TOLKO.COM](http://WWW.TOLKO.COM)

2020.12

The data and/or information is provided without any representations, warranties or conditions, whether express or implied, statutory or otherwise, including, without any limitation, any representations, warranties or conditions. For more information please visit [tolko.com/resources](http://tolko.com/resources) or contact your Tolko Representative.