INTERNATIONAL SALES



Tolko is a leading manufacturer of a wide range of forest products for customers around the world. For more than 65 years, Tolko has earned a reputation of being reliable, consistent, and easy to do business with.

This family-owned company believes that with effort and focus comes the possibility of success. Over the past 60 years, Tolko has stayed true to its early beginnings and the values of the Thorlakson family.

Fundamental to our success is a committed workforce that thrives on change, building relationships, and a drive toward excellence. The industry has dramatically changed since Tolko's beginnings in 1956, but our journey remains guided by the same values and strategic business sense instilled throughout the years.



OPERATIONS

Tolko's lumber, plywood and OSB operations are located in the abundant forests of Western Canada and extend into the Southern Yellow Pine forests of the United States of America.

11 12

Tolko's commitment to the highest quality standards extends across all of our products. Our mills are focused on manufacturing consistent products, and our sales representatives are dedicated to providing you with customer service you can count on.

M

British Columbia, CA

6 1 7 8

9

	Vernon	CORPORATE
2.	Soda Creek	LUMBER
3.	Lakeview	LUMBER
ŀ.	Heffley Creek	PLYWOOD/VENEER
5.	Armstrong	LUMBER & PLYWOOD/VENEER
5.	Eagle Rock	REFORESTATION CENTRE
<i>'</i> .	Lavington	LUMBER
3.	White Valley	VENEER
).	Lake Country	REMANUFACTURING

2

Alberta, CA

10.	High Level	LUMBER
11.	High Prairie	OSB/EWF
12.	Athabasca	OSB/EWF

Saskatchewan, CA

Louisiana, USA

13. Meadow Lake

14. LaSalle Lumber Company LLC LUMBER A Hunt-Tolko Partnership

15

14

CorporateLumberPlywoodOSB/EWP

TOLKO

TOLKO TOLKO

TOLKO TOLKO

OLKO

AI ARAMA

OSB/EWP

LUMBER

TOLKO

TOL

15. Bienville Lumber LLC LUMBER A Hunt-Tolko Partnership

Mississippi, USA

16. Southeastern Timber Products LLC LUMBER An STP-Tolko Partnership

Alabama, USA

17. Jasper Forest Products LLC A Jasper-Tolko Partnership

PRODUCTION FACTS

Employees	3,000
Manufacturing	17 facilities located in Canada and USA
Trees Planted	32.6 million annually
Export	16 countries worldwide

PRODUCTION

Lumber	1.33 billion board feet 2.06 million cubic metres
Plywood	427 million square feet (3/8" basis) 378 thousand cubic metres
OSB	1.80 billion square feet (3/8" basis)
22322	1.59 million cubic metres
Wood Chips	0.70 million BDU (bone dry units)
Electricity	109 thousand megawatt hours

TOLKO MAKES EVERY EFFORT TO MANAGE FOREST LAND IN A **PROFESSIONAL AND SUSTAINABLE** MANNER. TOLKO'S CURRENT FORESTRY CERTIFICATIONS **INCLUDE:**

- Sustainable Forest Initiative (SFI)
- All our mills are Chain of Custody certified to the Programme for **Endorsement of Forest Certification** Schemes (PEFC) CoC standard.

These internationally accepted standards are independently audited to ensure conformance and transparency, and are recognized by governments and customers around the world.

This is your assurance that our products have been sourced from forests that are managed to the highest international standards while meeting the needs of local communities, and that Tolko is keeping its company promise of environmental, social and economic sustainability. We're not just here to do business; we're here to do business responsibly.

In addition to our sustainable management practices, Tolko actively restores our harvest areas through a combination of natural regeneration and replanting. Each year we plant approximately 35 million trees across Western Canada.

TOLKO'S 3RD PARTY CERTIFICATIONS MEET OR EXCEED INTERNATIONAL STANDARDS AND ALLOW OUR CUSTOMERS TO ACHIEVE BUILDER CREDITS FROM A BROAD RANGE OF GREEN **BUILDING PROGRAMS.**

ENVIRONMENTAL STANDARDS

Tolko's products meet the strictest environmental standards. Our panel products meet all national and international requirements for formaldehyde air emissions (including California, North American, European and Japanese standards). Our wood products are heat treated to attain phytosanitary certificates for importing countries.

CHAIN OF CUSTODY CERTIFICATION (COC)

The raw materials used in Tolko products can be traced from the forest to our customers through our Programme for Endorsement of Forest Certification (PEFC) Chain of Custody system. This provides assurance of the legality and sustainability of the resources used to manufacture our wood products. PEFC is a recognized Chain of Custody program under the LEED Standards.

SUSTAINABLE FOREST MANAGEMENT (SFM) CERTIFICATION

Tolko's Forest Management activities are conducted to Sustainable Forest Management standards as certified by the Sustainable Forestry Initiative (SFI). These standards are internationally endorsed by PEFC. PEFC is the world's largest forest certification system and is accepted worldwide by organizations, governments and customer procurement programs.

TOLKO IS A COMPANY THAT LIVES FOR TODAY BUT PLANS FOR OUR FUTURE!

Tolko is committed to the well-being of future generations through responsible environmental performance.





WESTERN SPF, DOUGLAS FIR, HEM-FIR

Solid Studs



DOUGLAS FIR & LARCH

Dimension Lumber



DOUGLAS FIR & LARCH Dimension Lumber

PLYWOOD 378 thousand cubic metres/year

Product	Species	Length & Width Thickness		Grade Stamp			
		mm	ft	mm	in	Canada	US (PS 1-09)
T-PLY Ultra T&G Subfloor	DFP/Fir	1220 x 2440	4x8	15.5, 18.5, 25.5	19/32, 23/32, 31/32	CSA 0121 Custom	CC PTS (U/L) Scant Face T&G
T-PLY and T-PLY Pro T&G Subfloor	CSP ³ DFP/Fir	1220 x 2440	4x8	15.5, 18.5, 25.5	19/32, 23/32, 31/32	CSA 0121 Custom	CD PTS (U/L) Scant & Full Face T&G
T-PLY Ultra Square Edge With fastener grid	DFP/Fir	1220 x 2440	4x8	12.5, 15.5	15/32, 19/32	CSA 0121	CC PTS
T-PLY Pro Select OES Edge sealed, One-side sanded & oiled	DFP/Fir	1220 x 2440	4x8	18.5	23/32	CSA 0121	CC PTS
T-PLY and T-PLY Pro Sheathing & Select Square Edge	DFP/Fir	1220 x 2440	4x8	9.5, 12.5, 15.5, 18.5, 25.5	3/8, 1/2, 5/8, 3/4, 1	CSA 0121	CD CD PTS
T-PLY Pro Premium Select Sheathing	DFP/Fir	1220 x 2440	4x8	9.5-25.5	11/32-31/32	CSA 0121	CC PTS
ULAY Premium Underlayment	DFP/Fir	1220 x 2440	4x8		- /	BCPTS ⁴	
With fastener grid		1220 x 1220	4x4	7.8 actual	5/16	PS1 Underlayments	
T-PLY Pro Underlayment	DFP/Fir	1220 x 2440	4x8	7.8 act.	5/4.6		00.070
With fastener grid		1220 x 1220 4x4	4x4	Nom. thick = 9.5mm	5/16	CSA 0121	CC PTS
T-PLY Select Grid Carpet, Ceramic Tile, Hardwood, Terrazzo With fastener grid	DFP/Fir	1220 x 2440	4x8	8.6, 11.6, 14.6	11/32, 15/32, 19/32	CSA 0121	CD PTS





WESTERN SPF Finger Joint Studs T-PLY Plywood Products T&G/Square Edge

LSL (Laminated Strand Lumber)

Product	Application	E-Rating	Thickness (in.)	Zinc Borate
T-TEC LSL	Beam, Header, Joist, Stud, Sill Plate, Rim Board	1.35 E, 1.55 E	3-1/2, 1-3/4, 1-1/2, 1-1/4	Optional
Tolko LSL Industrials	Concrete Edge Form, Box Springs, Upholstered Furniture, Packaging, Millwork, Doors & Windows, RV Slide-outs		7/8 up to 1-3/4	Optional

SPECIALTY

Product						
Timbers	Sizes: 3"x3" - 12"x12" and larger Lengths: up to 20'	Species: D-fir, Western larch, Engelmann spruce, Lodgepole pine, Western hemlock	Grades: NLGA paragraph 130/131, FOHC, Select structural, Clear	Moisture Content: Greer Surfacing: Rough		
Peeler Cores	Core Sizes: 3.25" Diameter Rounds: 102" - 103"	Species: D-fir and SPF	0 0	Packaging Round Cores: 149 and 500 piece packages Packaging 2x3: 255 piece packages		
Remanufacturing	1x6 Fencing, 1x4 Dog-eared Fencing, Pallet Components, Furring Strips, Fruit Bins and Boxes, Grooved Dunnage, Certified Dunnage, Lauzon Flooring, Custom Cut Plywood & OSB, Trimming and Ripping Capability					

WESTERN SPF

Dimension Lumber

LUMBER 2.1 million cubic metres/year

	Mill	Species	Grade	Size	;	Length	
				mm	in	mm	ft
MILLS	Soda Creek	SPF/D-fir	J-Grade, A-Grade, #2&Btr, Stud, Economy, Finger Joint Studs	38x64, 38x89, 38x140	2x3, 2x4, 2x6	Shorts (1524, 1829, 2134) ¹ 2438, 2743, 3048 mill	Shorts (5, 6, 7) 8, 9, 10 mill
		SPF	J-Grade, A-Grade, #2&Btr, Stud, Economy				
STUD	Armstrong	Fir Larch	#1&Btr, #2&Btr, Stud, Economy	38x64, 38x89, 38x140	2x3, 2x4, 2x6	Shorts (1524, 1829, 2134) ¹ 2438, 2743 mill	Shorts (5, 6, 7) 8, 9 mill
S		Hemlock	A-Grade, #2&Btr, Stud, Economy	50/140	2x0	2430, 2743 min	0, 5 11111
		SPF	VG Clears, J-Grade, A-Grade, Premium, #2&Btr, #2 Kiln Wets, #3, Economy		2x3 to 2x12		6 to 20
	Lavington	D-fir Larch	VG Clears, J-Grade, Select Structural, MSR 1800, MSR 2250, MSR 2400, #2&Btr, #2 Kiln Wets, #3, Economy	38x64 to 38x286		1829 to 6096	
		Hemlock	A-Grade, #2&Btr, #2 Kiln Wets, #3, Economy				
		Cedar	Select Knotty, Mill Run Rough, Utility, Economy	-			
Ņ	Lakeview	SPF	J-Grade, A-Grade, MSR 1650, MSR 1950, MSR 2100, Premium, #2&Btr, #2 Kiln Wets, #3, Economy	- 38x64 to 2x3 to 2x10 38x235		10 1829 to 6096	6 to 20
DIMENSION MILLS		D-fir	J-Grade, Select Structural, MSR 1800-1950, MSR 2400, #2&Btr, #2 Kiln Wets, #3, Economy		2x3 to 2x10		
ENSIO	High Level	SPF	J-Grade, A-Grade, Premium, #2&Btr, #2 Kiln Wets, #3, Economy	38x64 to 38x235	2x3 to 2x10	1829 to 6096	6 to 20
DIME	STP	SYP	DSS, #1, #2, #3, #4, Mill Run #1, #2, #3/#4 Mix Premium, Standard, #3/#4 Mix	38x89 to 38x235 89x89, 89x140, 25x140 RED	2x4 to 2x10 4x4 & 4x6 5/4x6 RED	610 to 6096	2 to 20
	LaSalle	SYP	#1 Prime, #1, #2 Prime, #2, #3, #4, NGS #3 & BTR HT stamped	38x89, 38x140, 38x184	2x4, 2x6 2x8	610 to 6096	2 to 20
	Jasper	SYP	#1, #2, #3, #4, #4 & BTR	38x89 to 140x140	2x4, 2x6, 4x4, 6x6	610 to 6096	2 to 20
	Bienville	SYP	NGS #3 & BTR HT stamped, #1 Prime, #1, #2 Prime, #2, #3, #4,	38x89, 38x140, 38x184	2x4, 2x6, 2x8	610 to 6096	2 to 20

OSB (Oriented Strand Board) 1.6 million cubic metres/year

Product	Thickness (in.)	Lengths (ft.)	Widths	Grading Standard	Zinc Borate
T-STRAND OSB Sheathing	3/8, 7/16, 15/32, 1/2, 19/32, 23/32, 7/8, 1-1/8	6, 8, 9, 10, 12, 14, 16, 24	4', 8'	PS2	Optional
T-STRAND Pro OSB Str 1 Sheathing	3/8, 15/32, 1/2, 19/32, 5/8, 23/32	6, 8, 9, 10, 12, 14, 16, 24	4', 8'	PS2	Optional
T-STRAND OSB T&G Subfloor	19/32, 23/32, 7/8, 1-1/8	8, 10, 12	4' Full & scant face available	PS2	Optional
T-STRAND Pro OSB T&G Subfloor	19/32, 23/32, 7/8, 1-1/8	8, 10, 12	4' Full & scant face available	PS2	Optional
T-STRAND OSB Utility Panels	1/4	8	4'	N/A	Optional
T-STRAND Pro OSB RV Flooring	3/8, 15/32, 19/32, 23/32	24 Custom cuts	4', 8' Custom cuts	PS2	Optional
T-STRAND Pro OSB SIP Facers	7/16	16, 24 Custom cuts	4', 8'	PS2, PR-N614	Optional
T-STRAND Pro OSB Webstock	25/64, 29/64	Custom cuts	4, 8'	PS2	Optional
OSB RIM BOARD	1-1/8, 1-1/4	12, 24	9-1/2", 11-7/8", 14", 16", 18", 20", 22", 24"	Rim Board Plus, ANSI/APA PRR- 410, PRR-401, CCMC 13238-L	N/A ²

²Zinc Borate treated Rim Board available in T-TEC LSL

³Limited availability ⁴Natural B

T-STRAND OSB Products T&G/Square Edge



T-TEC LSL Laminated Strand Lumber

SERVING THE WORLD At Tolko, we are focused on delivering consistent products and building new, long-term partnerships around the world.

OLKC

ADE IN CANADA

TO TOLKO TOLKO TO

We offer 60 years' worth of solutions, service and market knowledge to meet your needs. With Tolko you have a partner committed to understanding your business and providing support.

TOLKO

TOLKO

SERVING OUR INTERNATIONAL CUSTOMERS

Tolko is focused on delivering products that meet your high expectations. Quality and consistency are our key words and everyone, from our front-line mill workers to our sales and marketing team, understands that bringing you consistent products is our top priority!

Our international sales and marketing team focuses on building and sustaining long-term partnerships with our customers around the world.

With Tolko as your partner, you have a team committed to understanding your business. We have the solutions, service and market knowledge to meet your business needs. Your success is our success!

We continue to target and grow our export markets through reliable supply, responsive selling and collaborative business solutions. Our logistics team is second to none and can arrange to ship our wide range of forest products to you in a timely manner. At Tolko, our team is your team and we always deliver on our commitments!

LUMBER OSB PLYWOOD

100 100

TRUE TOUR TOUR

alalalar an an an an

- I COLOR



TOLKO'S GLOBAL REACH

Through our strong network of sales representatives, we are able to supply a wide range of products and grades to meet the diverse needs of our customers.

CORPORATE OFFICE, CANADA

Dennis Yano Panel and Engineered Wood Sales +1 250-549-5302 dennis.yano@tolko.com

CORPORATE OFFICE, CANADA

Todd Bengert Export Sales Representative +1 250-550-2521 todd.bengert@tolko.com

CHINA

Louis Zhao TAK International +86 22 588-52612 Iouis@takchina.com

TAIWAN

Allen Tsai Agoki International Inc. +1 425 228 5139 allen.tsai@agoki.com

JAPAN

Nao Takada Tiger International Ltd. +81 3 3645 9377 info@tiger-int.co.jp

UNITED KINGDOM

Dan Mathews Taylor Maxwell +44 11 740 35368 info@plsuk.biz danmathews@tmglobal.co.uk



SOUTH KOREA

Alex An Seojoong International +82 10 6258 8005 an.seojoong@gmail.com

NETHERLANDS

Erwin Hoetjes Koninklijke Eduard van Leer B.V. +31 20 6222324 erwin.hoetjes@kevl.com

LOGISTICS - KEEPING MOMENTUM Getting products to you when you need them

FORTO LOUIS AN LOUIS LOUIS

I FOUR FOUR FOUR

Total

TOTO TOLKO

The same love and the

NEW LOUIS LOUIS LOUIS

Yours Tours

LE RECE DE LE RECE L

Forse Loved No.

TO LOUD E

FOR FOR F

ETTER ETTER ETTER ETTER ETTER

TO LOUGH LOUGH DE LOUIS LOUIS LOUIS

100 (000) (000) (000

an and some the

Louis Louis 1

a 1000 10

TRAFT REAL

Our logistics team is responsible for coordinating logistics and transportation associated with the sale of our products to national and international markets. Each team member is accountable for cost-effective, timely and safe movement of product to our customers. Our logistics team works to ensure on-time shipments and to deliver excellent customer service.

A REAL ROOM

تة تحتما الحتما ال

Road Road Road

ELLE EL Total Tax

PERSON PERSON TOTAL DIST.

Frank Fill

I TOURO TOURO

AND TOUGH TOU

TO LOUG LOUG DO

and Ford Ford Ford &

of Leased Leased Lie

Tolko has a flexible and reliable logistical network to provide high levels of service. We work closely with our mills, reload facilities, trucking companies and shipping carriers to ensure that our wood products are delivered on time all over the world.

THE REAL FORST

VOTO ROUTO ROUTO ROUTO I

Series Lores Lores

I TOWN LOUND E LOUND FORME AND IN LOUND LOUND

THE DOLD TOUCH

LOUIS LOUIS LOUIS L

LOURS LOURS LOURS LOURS

THE PARTY POLICY POLICY

LULU ISLAND TERMINAL



0 LKO

Providing solutions that work

At Tolko, we know that quality is important to our customers and that's why we store our products at Lulu Island Terminal. Established in 2012, Lulu Island Terminal is an all-inclusive warehousing and transportation solution. The facility features 19,000 square metres of indoor storage space, offering protection from BC coastal weather to ensure cargo reaches its final destination in the same optimal condition. With a flexible and reliable logistical network, Lulu Island Terminal delivers consistent shipments to local and overseas customers.

CANADA

TRUE. TRUSTED. TOLKO.



Tolko International Sales 3000 - 28 Street Vernon, BC Canada, V1T 6M1

Phone: 1-250-545-4411 Email: exportsales@tolko.com 2022.12